



Loose Part No.	HJ1093	HJ1090
Reeled Part No.	6093	6090
Mating Terminal Size	0.250"x0.032" (6.35mmx0.81mm)Tab 0.205"x0.032" (5.21mmx0.81mm)Tab	0.250"x0.025" (6.35mmx0.64mm)Tab 0.205"x0.025" (5.21mmx0.64mm)Tab
Insertion Force—Max.	10.0lbs.(44.48N)*	5.0lbs.(22.24N)*
Withdrawal Force—Min.	2.0lbs.(8.90N)*	1.0lbs.(4.45N)*
Mounting Type	Outward or Inward Splay	
Mating Type	Horizontal	
Material Thickness Type	0.016"(0.41mm) Brass	
Standard Finish	Loose:100% Tin over Copper Reeled:100% Tin over Copper	
Mating Entry	Horizontal	
Applicator System	Consult factory	
Mounting Hole Diameter	2 holes 0.063"±0.003" (1.6mm±0.076mm) on 0.500"±0.003" (12.7mm±0.076mm)	
Current Rating	20 Ampere	
Resistance Rating	10mOhm Max	
Temperature Rating	-65° to 85°C	

5X				DR.BY.: Samson
4X				
3X				CHKD.: Tony
2X	Add Parameters	Aaron	20170630	APPD.: Billy
1X	ORIGINAL	Samson		
REV.	DESCRIPTION	DR.BY	ECN. NO.	

GENERAL TOLERANCE:		PART NO : HJ109X	
LINEAR	ANGLES	DWG. NO.:	
X.: ±0.30	X': ±	TITLE :	
X.X: ±0.20	X.X': ±3.0°	FUSE CLIP HORIZONTAL SPLAY RECEPTACLE	
X.XX: ±0.10	X.XX': ±2.0°	DATE: 28-Aug-2015	
X.XXX: ±0.10	X.XXX': ±1.0°		

HJBRIGHT 東莞市華晶電子有限公司
BRIGHT-E ELECTRONIC TECHNOLOGY LIMITED

SHEET: 1/1
SCALE: 1:1
UNIT: mm

THIRD ANGLE PROJECTION

A4